# Bushmans AVING AUSTRALIA'S WATER SUN TOUGH







### **Bushmans Tanks**

Bushmans has been manufacturing tanks since 1989 and when it comes to water storage, Bushmans delivers in the toughest conditions. You can rely on Bushmans to save Australia's water. Bushmans original range of tanks provides you access to the most cost-efficient water storage products. Made in one piece from UV stabilised polyethylene, Bushmans tanks give you reliable long-term performance. All tanks backed by:



#### For residential applications

Even when connected to a water supply everyone wants to do their bit to save water – and nobody saves it like Bushmans. Our domestic water tanks are available in sizes from 720 litres to 46,400 litres and are easily installed on residential properties. Not only will these tanks give you rainwater on tap they will save you money on your water bills, and complement the appearance and add value to your home.

### For rural applications

When you rely on water for your business, indeed for survival, you have to have it when you need it. You can choose a Bushmans tank up to 46,400 litres to provide water storage solutions for all your needs. We can't make it rain but we can store it when it does and nobody saves water like a Bushmans tank.

SUN TOUGH

### SUNSMART<sup>®</sup> technology by Bushmans

- · Bushmans Sunsmart<sup>®</sup> technology is an improved raw material which provides longer tank life in Australia's hot and sunny conditions.
- Bushmans advanced manufacturing processes ensures your tank is made to our design standard.
- Bushmans factories are accredited to manufacture to the AS/NZS4766 tank standard.
- Bushmans tanks have stood the test of time with tanks in the field for over 23 years.
- · Bushmans tanks are one piece so there is no weakening due to cutting and screwing.
- Bushmans distribution centres provide a personalised local service.

(Sunsmart<sup>®</sup> raw material is available in Bushmans 10 core colours only)



### Tank specifications (AS4766 compliant)

Bushmans range of water tanks gives you access to the most cost-efficient water storage products available. Made in one piece, from our own Sunsmart<sup>®</sup> UV stabilised polyethylene which complies with Australian standards for drinking water as well as food contact, Bushmans tanks give you long term performance you can rely on.

#### **Slimline Tanks**

These tanks are perfect for suburban homes that have limited and very limited space. The short length of these tanks is ideal to fit between windows. One or two of these tanks can let you water the plants and/or wash the car.

Actual Capacity	Ordering Code	Height	Width	Length	QLD	NSW	VIC	SA	Price
720l (210 gal)	TSL160 Slim	0.92 m (3'0")	0.71 m (2'4")	1.42 m (4'7")	•	•			
1000l (220 gal)	TSL220 Slim	1.86 m (6'1")	0.60 m (2'0")	1.25 m (4'1")				•	
1150l (250 gal)	TSL230 Slim	1.62 m (5'4")	0.62 m (2'0")	1.48 m (4'10")	•	•	•	•	
2000l (440 gal)	TSL440 Slim	2.15 m (7'1")	0.70 m (2'4")	2.21 m (7'3")	•	•	•		
3000l (660 gal)	TSL660 Slim	2.15 m (7'1")	0.81 m (2'8")	2.48 m (8'2")	•	•	•	•	
Modular Slimline Tanks									

Actual Capacity	Ordering Code	Height	Width	Length	QLD	NSW	VIC	SA	Price
1000l (210 gal)	TT210 Tall	2.07 m (6'10")	0.81 m (2'8")	0.81 m (2'8")	•	•	•	•	

#### Round, Tall and Squat Tanks

The tall round tank is suited for small spaces around suburban homes. These tanks provide good storage capacity, with minimum diameter space requirements. Ranging from 1,200l to 10,000l capacities these tanks are typically found on large town blocks. The squat tank is suited for sites that require a low water inlet height. These tanks provide excellent storage capacity and are priced reasonably. These tanks are well suited to rural properties or large town blocks where you require plenty of water storage.

Actual Capacity	Ordering Code	Inlet Height	Diameter	Total Height	QLD	NSW	VIC	SA	Price
1 3	÷	Ũ		0	QLD	11377	VIC	JA	THEE
1200l (260 gal)	TT260 Round	1.51 m (5'0")	1.05 m (3'5")	1.51 m (5'0")	•				
1500l (330 gal)	T350 Round	1.62 m (5'4")	1.17 m (3'10")	1.62 m (5'4")	•	•	•	•	
2450l (540 gal)	TS540 Squat	1.05 m (3'5")	1.77 m (5'9")	1.22 m (4'0")	•	•			
2550l (560 gal)	TT560 Tall	1.51 m (5'0")	1.57 m (5'2")	1.68 m (5'6")	•	•	•	•	
3275l (720 gal)	TT650 Tall	1.79 m (5'10")	1.57 m (5'2")	2.00 m (6'7")	•	•			
4200l (920 gal)	TS910 Squat	1.28 m (4'2")	2.15 m (7'1")	1.37 m (4'6")	•		•	•	
5000l (1100 gal)	TT1100 Tall	2.05 m (6'8")	1.85 m (6'1")	2.25 m (7'5")	•	•	•	•	
5000l (1100 gal)	TXD1200 Squat	1.78 m (5'10")	2.06 m (6'10")	1.86 m (6'1")					
10000l (2200 gal)	TS2200 Squat	1.48 m (4'10")	3.05 m (10'0")	1.70 m (5'7")	•	•	•	•	
10000l (2200 gal)	TT2300 Tall	2.16 m (7'1")	2.59 m (8'6")	2.31 m (7'7")	•		•	•	
15000l (3300 gal)	T3300 Round	2.20 m (7'3")	3.05 m (10'0")	2.44 m (8'0")	•	•	•	•	
22500l (5000 gal)	TS5000 Squat	2.12 m (7'0")	3.73 m (12'3")	2.44 m (8'0")	•	•	•	•	
24000l (5300 gal)	TT5300 Tall	2.57 m (8'5")	3.53 m (11'6")	2.72 m (8'10")	•				
25000l (5500 gal)	TS5500 Squat	2.40 m (7'10")	3.73 m (12'3")	2.55 m (8'4")	•		•		
30000l (6600 gal)	T6500 Round	2.68 m (8'9")	3.92 m (12'10")	2.87 m (9'5")	•	•	•	•	
38000l (8400 gal)	T8400 Round	2.71 m (8'9")	4.37 m (14'4")	2.82 m (9'3")	•	•		•	
46400l (10200 gal)	T10500 Round	2.95 m (9'8")	4.60 m (15'1")	3.16 m (10'4")	•	•	•	•	

Pump Covers	Ordering Code	Height	Width	Length	National Availability Price
	PCS	0.55 m (1'10")	0.40 m (1'4")	0.70 m (2'4")	QLD NSW VIC SA
	PCL	0.60 m (2'0")	0.49 m (1'7")	0.83 m (2'9")	QLD NSW VIC SA

Included: leaf strainer, overflow brass outlet and ball valve. Also available: pumps, water diverters and leaf strainer covers. Molasses and Fertiliser Tanks: sizes vary from 720 litres (158 gallons) to 38000 litres (8400 gallons). Capacities and measurements are tested in accordance with AS4766, but may vary due to the roto-moulding process. Dimensions in metres are rounded to the nearest centimetre. Dimensions in imperial are rounded to the nearest inch. Subtract 100mm from pump cover dimensions when estimating internal measurements. Prices subject to change without notice. When estimating space requirements for siting your tank, Bushmans recommends a minimum clearance of 100mm at the top and sides. Imperial sizes are rounded up.

## More than just water tanks

Bushmans manufacture Fertiliser and Molasses storage tanks for agricultural applications up to 38,000 litres capacity. We also custom-make Chemical and Industrial storage tanks, up to 46,400 litres capacity, with fittings which will align with specific customer requirements.

The polyethylene that we use in our tanks is Sunsmart<sup>®</sup> technology and is an advanced generation linear material that has been tried and tested in the Australian market. Bushmans only uses the best material for the whole of the tank - providing highest strength and superior chemical resistance.

Our chemical and industrial tanks are suitable for a wide range of chemicals, such as Sodium Hypochlorite, Hydrochloric Acid, Sulphuric Acid, and many more.

We also have a full range of fittings and attachments that can be plastic welded onto the tank to suit your specific needs. Bushmans have a proven record with problem solving. We may just have the answer you are looking for.

The Sunsmart  $^{\ensuremath{\circledast}}$  advanced raw material combined with Bushmans proven one piece tank design results in:

- better UV protection
- $\cdot$  best chemical resistance
- best impact resistance
- $\cdot \text{ best tank life}$

#### Protect Your Pump



SAVING AUSTRALIA'S

Extend the life of your pump by keeping it protected from the elements and off the ground with Bushmans new two piece pump cover. Features include: ventilation holes for air circulation; easy-to-follow cutter paths for pipework entry slots; grab handles for easy removal; drainage holes in base to allow water to escape; aesthetic design; and they're available in sizes to suit most pumps.

### What sets Bushmans tanks apart?

Bushmans have **Over 23 years experience** in designing and manufacturing plastic moulded tanks. **Australian made and owned.** 

Bushmans is backed by the Bushmans 10 Year Guarantee.

Bushmans uses the **latest manufacturing technology and processes** to ensure you receive a quality product and peace of mind.

For further information, contact Bushmans: Your Local Bushmans Distributor:

#### bushmantanks.com.au

\*Sunsmart<sup>®</sup> Technology is only available in Bushmans standard colour range. Colours shown are a guide only. For true colour representation, please contact your Bushmans representative. 03/13

